

TECHNICAL DATA

PHYSICAL PROPERTIES

Bulk density (compacted) kg / m ³	1100
Loose bulk density (kg/m ³)	700
Particle Size (% weight retained)	2% at 90 μm 5% at 63 μm 25% at 32 μm

CHEMICAL PROPERTIES

Chemical Composition	CaSO ₄ .1/2H ₂ O
Colour	white

SETTING PARAMETERS

Final setting time (minutes)

100

Initial setting time (minutes)

90

PLASTER TO WATER RATIO

Plaster to Water Ratio (by weight)

1.82:1

Water to plaster ratio (by weight)

55%